Saskatchewan
Ministry of
Agriculture

Crop Report

For the period June 9 to 15, 2009

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 9, June 18, 2009

Across the province, the majority of crops are in good to fair condition, but are behind normal in development, according to Saskatchewan Agriculture's weekly Crop Report.

Winter wheat is reported as 43 per cent good and 36 per cent fair condition. Wheat is in 43 per cent good and 40 per cent fair condition. Canola is reported as 32 per cent good, 42 per cent fair and 20 per cent poor. Peas are 49 per cent good and 35 per cent fair.

On average, 67 per cent of fall-seeded crops are behind normal in development. Eighty per cent of spring cereals and 87 per cent of oilseeds are behind normal. Seventy-six per cent of pulse crops are behind normal in development.

Some moisture was received in areas of the province last week; however, provincial topsoil moisture conditions have declined overall since last week's Crop Report. Cropland topsoil moisture is reported as 52 per cent adequate, 35 per cent short and 13 per cent very short. Hay land and pasture moisture conditions are reported as 43 per cent adequate, 38 per cent short and 19 per cent very short. The west-central and northwestern districts of the province have received only trace amounts of precipitation in some areas and are severely dry. Hay and pasture growth is slow, and stands are short in some areas of the province.

Frost was still damaging crops in some areas of the province last week. Dry conditions, hail, gophers and flea beetles were the other sources of crop damage. Cutworms and grasshoppers are showing up in some fields. The warm weather is welcome, and rain would be appreciated in most areas.

Farmers are busy controlling weeds and gophers, and scouting crops.

1 Year Ago
Significant rain in the province improved topsoil moisture conditions.

Provincially, 77 per cent of the crop land and 74 per cent of the hay and pasture land had adequate topsoil moisture.

The average rain recorded in the regions was as follows: SE -63 mm, SW-75 mm, EC- 49 mm, WC- 26 mm, NE- 14 mm and NW- 7 mm

For further information, contact: Grant McLean, PAg, Cropping Management Specialist, Regional Services Branch, Agriculture Knowledge Centre, 1-866-457-2377.
E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Please let us know if you no longer need to receive a printed copy

Agriculture and Agri-Food Canada Agriculture et Agroalimentaire Canada

CANADA ~ SASKATCHEWAN
Crop Insurance

Saskatchewan Crop Insurance Corporation Report – June 18

The deadline to submit Establishment Benefit claims and gopher damage claims (excluding greenfeed) is June 20.

Seeded Acreage Reports and Stored Grain Declarations must be submitted by June 25. Failure to submit these forms may result in a $60 penalty, and further charges will be applied should it be necessary for an adjuster to visit to gather the information.

The deadline to submit Unseeded Acreage claims is June 25. Indemnities submitted between June 26 and July 2 will be reduced by 25 per cent. Claims will not be accepted after July 2.

The deadline to seed greenfeed crops covered by forage insurance is June 30, with all establishment and gopher damage claims on greenfeed to be submitted by this date.

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

Nights were still cool at the beginning of the week, with temperatures warming up by week's end. The region received an average of 2 mm of rain. The Kennedy and Midale areas received 12 and 13 mm, respectively.

Topsoil moisture conditions have declined somewhat from last week. Conditions are being reported as 88 per cent adequate and 12 per cent short on cropland. Hay and pasture land topsoil moisture conditions are 71 per cent adequate and 26 per cent short.

Light frosts of about -2°C were still occurring in areas. Most of the crop damage was due to frost and flea beetles. The crops are showing signs of stress due to the frost. The recent warm weather has advanced the crops, as well as the weeds. There were some reports of leaf banding on the cereal crops from weather stress.

There are a few reports of reseeding due to frost; some farmers are seeding early-maturing crops or greenfeed crops. Crops are developing a little more quickly due to last week's heat and rain. There are concerns over the continued slow growth of pastures and hay fields.

Farmers are busy controlling weeds, scouting crops, and seeding greenfeed crops.

SE SK Crop Development – June 15, 2009

	% Ahead	% Normal	% Behind
Fall Cereals	0	38	62
Spring Cereals	0	18	81
Oilseeds	0	14	86
Pulse Crops	0	20	80

SE SK Crop Conditions – June 15, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	14	3	7	13	3	4	0	
% good	49	51	61	56	62	59	50	
% fair	35	44	29	29	31	32	45	
% poor	1	1	2	1	0	4	5	
% very poor	0	0	0	0	2	0	0	
	Flax	Canola	Mustard	Sun-flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	4	3	0	0	7	15	2	0
% good	58	54	45	87	57	47	58	63
% fair	31	35	47	12	33	34	35	35
% poor	5	7	7	0	2	3	4	1
% very poor	0	0	0	0	0	0	0	0

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

The southwestern region was warm with spotty showers during the past week, with an area average of 1.4 mm. The Orkney area received 8 mm of rain.

Topsoil moisture conditions have declined from last week. Cropland topsoil moisture was reported as 65 per cent adequate and 33 per cent short. Topsoil moisture conditions on hay and pasture land are rated as 58 per cent adequate, 37 per cent short and five per cent very short. The recent rains have helped the hay and pasture land somewhat; however, the stands are still very short and slow at growing.

The warm week allowed crops to catch up on development. Frost and gophers were the main sources of crop damage. The warm weather has brought gophers out, and crop damage is being noticed. Areas are reporting damage to mustard and canola from flea beetles. Grasshoppers and cutworms are starting to show up in some crops. Kochia, Russian thistle and dandelions are problem weeds.

Farmers are busy controlling weeds in-crop and controlling gophers.

SW SK Crop Development – June 15, 2009

	% Ahead	% Normal	% Behind
Fall Cereals	6	51	48
Spring Cereals	0	31	69
Oilseeds	0	29	71
Pulse Crops	4	28	67

SW SK Crop Conditions – June 15, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	2	0	1	1	0	2	0	
% good	55	29	56	51	70	60	58	
% fair	42	63	40	45	28	34	38	
% poor	0	7	2	2	1	3	3	
% very poor	0	0	0	1	0	0	0	
	Flax	Canola	Mustard	Sun-flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	0	1	4	0	5	3	0	0
% good	61	37	42	50	58	58	61	59
% fair	39	58	52	50	35	37	30	41
% poor	0	4	2	0	2	2	8	0
% very poor	0	0	0	0	0	0	0	0

East-Central Saskatchewan (Crop Districts 5 and 6A)

The days trended toward warmer temperatures by the end of the week. Some areas received some needed moisture as spotty thundershowers rolled through the region. The region received an average of 5 mm. The areas around Kamsack and Stenen received 21 and 25 mm, respectively.

Topsoil moisture conditions have declined in this region from last week. Cropland topsoil moisture conditions are reported as 59 per cent adequate, 34 per cent short and seven per cent very short. Hay and pasture topsoil moisture conditions are 44 per cent adequate, 34 per cent short and 21 per cent very short.

Crop damage was mostly due to frost, flea beetles and dry conditions. Cutworm and grasshopper damage on crops is starting to appear. Some crops are recovering from frost damage, while others were sufficiently damaged to warrant some reseeding. There are reports of some fall crops short in stature.

Farmers were busy with in-crop weed control and hauling grain.

EC SK Crop Development – June 15, 2009

	% Ahead	% Normal	% Behind
Fall Cereals	0	14	86
Spring Cereals	0	10	90
Oilseeds	0	7	93
Pulse Crops	0	16	83

EC SK Crop Conditions – June 15, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	9	1	4	3	1	2	0
% good	38	40	49	48	52	51	87
% fair	35	41	35	31	38	36	13
% poor	15	16	11	17	8	10	0
% very poor	1	0	0	0	0	0	0

	Flax	Canola	Mustard	Sun-flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	1	1	3	0	4	8	0	0
% good	43	38	60	0	52	50	33	75
% fair	42	40	27	0	35	28	60	25
% poor	13	16	10	0	8	11	6	0
% very poor	0	4	0	0	0	1	0	0

West-Central Saskatchewan (Crop Districts 6B and 7)

Frost was still occurring at the beginning of the week, with temperatures climbing near the end of the week. Spotty rain showers resulted in an average of 3 mm of rain for the region. The Hanley area received 10 mm of rain. Close to 8 mm fell in the Rosetown and Kindersley areas.

Average topsoil moisture conditions continue to decline in the region. There are major moisture shortages. Cropland moisture conditions are rated as seven per cent adequate, 44 per cent short and 49 per cent very short. Hay and pasture land is sitting at 45 per cent short and 54 per cent very short. Pastures are being reported as poor in condition, short and slow growing. There are reports that some crops have yet to emerge.

Crop damage was mainly due dry conditions. Germination is uneven from lack of moisture. Moisture is severely needed to advance crops, hay and pasture land. Farmers are busy controlling weeds when the weather allows, and scouting fields.

WC SK Crop Development – June 15, 2009

	% Ahead	% Normal	% Behind
Fall Cereals	0	32	67
Spring Cereals	0	8	92
Oilseeds	0	9	91
Pulse Crops	0	20	80

WC SK Crop Conditions – June 15, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	0	0	0	0	0	0	0
% good	5	7	20	11	20	20	14
% fair	42	54	43	17	55	42	35
% poor	4	22	25	42	17	23	23
% very poor	48	16	11	30	7	14	27

	Flax	Canola	Mustard	Sun-flower	Pea	Lentil	Canary-seed	Chick-Pea
% excellent	0	0	0	0	0	0	0	0
% good	19	13	15	15	31	32	2	0
% fair	40	38	24	34	37	34	10	40
% poor	32	26	27	34	21	18	34	40
% very poor	8	23	32	15	10	14	53	20

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

Weather conditions were warm with spotty showers. There are areas in the region that need rain. An average of 4 mm of rain fell last week. The areas around Porcupine Plain and Star City received an average of 8 and 9 mm, respectively.

Crops are behind in development due to cool weather and frost. Some crops are coming up patchy. Dry conditions were the main cause of crop damage. Flea beetles are starting to show up in canola crops.

Topsoil moisture conditions have declined in this CD from last week's report. Cropland topsoil moisture conditions are rated as 34 per cent adequate, 50 per cent short and 15 per cent very short. Hay and pasture land topsoil moisture conditions are 24 per cent adequate, 58 per cent short and 18 per cent very short. Hay land and pastures are slow to advance.

Farmers are busy scouting fields and controlling weeds when weather allows.

NE SK Crop Development – June 15, 2009

	% Ahead	% Normal	% Behind
Fall Cereals	0	27	58
Spring Cereals	0	21	78
Oilseeds	0	15	85
Pulse Crops	0	21	79

NE SK Crop Conditions – June 15, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	0	0	0	0	0	0	0
% good	65	19	41	0	40	38	0
% fair	35	60	47	10	46	50	100
% poor	0	11	10	80	12	10	0
% very poor	0	10	1	10	1	1	0

	Flax	Canola	Mustard	Sun-flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	0	0	0	0	0	0	0	0
% good	52	19	40	0	45	15	40	0
% fair	37	49	26	0	45	35	40	0
% poor	8	30	30	0	8	45	18	0
% very poor	1	2	3	0	1	5	1	0

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

Warm and windy conditions made up the majority of the week. There were some small showers in areas of the region, averaging 5 mm of rain. The Shellbrook area received 25 mm, the Speers area received 12 mm, and the Neilburg area received 9 mm of rain.

Topsoil moisture conditions for this CD have also declined since last week's report. Cropland topsoil moisture is 34 per cent adequate, 48 per cent short and 18 per cent very short. The hay and pasture topsoil moisture conditions are 18 per cent adequate, 43 per cent short and 39 per cent very short. Frost and dry conditions resulted in the majority of crop, pasture and hay field damage. Flea beetles were also a source of crop damage. Grasshoppers are starting to hatch.

Moisture is severely needed. Emergence of crops is a bit patchy. There is some reseeding of the canola that was damaged by frost. The frost damaged many crops, especially canola. Hay and pasture has very slow growth and is in need of moisture.

Farmers are busy scouting fields and controlling weeds.

NW SK Crop Development – June 15, 2009

	% Ahead	% Normal	% Behind
Fall Cereals	0	18	81
Spring Cereals	1	26	72
Oilseeds	0	22	78
Pulse Crops	2	21	77

NW SK Crop Conditions – June 15, 2009

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	0	0	0	0	0	1	0	
% good	35	24	40	0	40	42	0	
% fair	15	21	44	0	41	37	35	
% poor	50	42	15	100	19	18	64	
% very poor	0	13	0	0	0	0	0	
	Flax	Canola	Mustard	Sun-flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	0	0	0	0	9	0	0	0
% good	38	27	0	0	39	9	0	0
% fair	11	42	8	0	38	9	0	0
% poor	50	28	92	100	14	81	100	100
% very poor	0	2	0	0	0	0	0	0

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the week ending June 15, 2009

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	NIL	90
	2	Mt.Pleasant	N/A	68
	3	Enniskillen	N/A	62
	33 A	Moose Cr.	N/A	79
	33 B	Moose Cr.	2	71
	34	Browning	NIL	53
	61	Antler	N/A	46
	64	Brock	2	58
	65	Tecumseh	N/A	47
1B	91	Maryfield	6	94
	92	Walpole	4	90
	93	Wawken	1	76
	94	Hazelwood	12	100
	95	Golden West	NIL	36
	121	Moosomin	NIL	85
	122	Martin	NIL	85
	123	Silverwood	N/A	62
	124	Kingsley	2	64
	125	Chester	2	59
	151 B	Rocanville	1	67
	153	Willowdale	3	57
	154	Elcapo	N/A	54
	155	Wolseley	TR	54
2A	36	Cymri	13	70
	66	Griffin	N/A	37
	67	Weyburn	NIL	74
	68	Brokenshell	NIL	78
	69	Norton	N/A	132
	96	Fillmore	NIL	78
	97	Wellington	1	71
	99	Caledonia	NIL	138
2B	126	Montmartre	NIL	72
	127	Francis	2	86
	129	Bratt's Lake	3	84
	131	Baildon	10	92
	156 A	Indian Head	11	83
	156 B	Indian Head	3	74
	157	South Qu'app.	N/A	12
	158	Edenwold	N/A	N/A
	160	Pense	N/A	74
	161	Moose Jaw	NIL	47
	191 A	Marquis	NIL	52
3ASE	9	Surprise Val.	1	83
	38 A	Laurier	NIL	92
	38 B	Laurier	NIL	106
	39 A	The Gap	N/A	90
	39 B	The Gap	NIL	113
3ASW	10	Happy Val.	4	74
	12	Poplar Val.	N/A	91
	40	Bangough	NIL	87
	42	Willow Bunch	N/A	112
	43 A	Old Post	3	77
	44	Waverley	5	102
	70	Key West	N/A	71
	71 A	Excel	1	88
	71 B	Excel	N/A	85
	71 C	Excel	N/A	106
	73 A	Stonehenge	NIL	105
	73 B	Stonehenge	NIL	149
	74	Wood River	N/A	71
3AN	101	Terrell	2	89
	102	Lake Johnston	1	76
	103	Sutton	NIL	118
	134	Shamrock	N/A	121
	164	Chaplin	N/A	76
	193	Eyebrow	NIL	88
	194	Enfield	NIL	60
3BS	17 A	Val Marie	8	159
	17 B	Val Marie	N/A	N/A
	45	Mankota	N/A	102
	75 A	Pinto Cr.	NIL	121
	75 B	Pinto Cr.	NIL	78
	76 A	Auvergne	NIL	76
	76 B	Auvergne	6	86
	77	Wise Cr.	NIL	127
	78 A	Grassy Cr.	N/A	123
	78 B	Grassy Cr.	NIL	89
	78 C	Grassy Cr.	N/A	93
	105	Glenbain	NIL	99
	106	Whiska Cr.	5	73
	107	Lac Pelletier	N/A	6
	108	Bone Cr.	NIL	87
3BN	138	Webb	NIL	54
	166	Excelsior	2	62
	167	Sask. Landing	5	63
	168	Riverside	NIL	30
	225	Canaan	N/A	10
	226	Victory	N/A	38
	226 A	Lacadena	N/A	61
	226 B	Lacadena	4	49
	255	Coteau	N/A	19
4A	49 A	White Val.	N/A	100
	49 B	White Val.	3	74
	51	Reno	1	73
	79	Arlington	NIL	63
	109	Carmichael	NIL	77
	110	Piapot	NIL	120
	111 A	Maple Cr.	N/A	98
4B	139	Gull Lk.	N/A	59
	141	Big Stick	NIL	78
	142	Enterprise	NIL	63
	169	Pittville	N/A	52
	231	Happyland	TR	26
	232	Deer Forks	NIL	47
5A	183	Fertile Belt	2	91
	184 A	Grayson	10	63
	184 B	Grayson	NIL	57
	185	Mcleod	N/A	55
	186	Abernethy	2	61
	211	Churchbridge	1	83
	213	Saltcoats	NIL	49
	216 A	Tullymet	N/A	99
	216 B	Tullymet	TR	55
	241	Calder	N/A	43
	243	Wallace	8	69
	245 A	Garry	1	85
	245 B	Garry	2	93
	246	Ituna Bon Acc.	N/A	110
	247	Kellross	20	77
	248	Touchwood	5	72
5B	271	Cote	21	84
	273	Siding Hills	N/A	25
	275	Insinger	2	103
	276	Foam Lk.	N/A	69
	277	Emerald	3	60
	304	Buchanan	N/A	N/A
	305	Ivermay	3	73
	307	Elfros	8	85
	308	Big Quill	N/A	69
	333	Clayton	25	105
	335	Hazel Dell	N/A	86
	336	Sasman	NIL	68
	337	Lakeview	N/A	56
	338	Lakeside	NIL	53
	366	Kelvington	11	91
	367 B	Ponass Lk.	N/A	N/A
6A	190 A	Dufferin	1	69
	190 B	Dufferin	2	85
	190 C	Dufferin	NIL	67
	190 D	Dufferin	N/A	42
	219 A	Longlaketon	N/A	80
	219 B	Longlaketon	N/A	74
	220	McKillop	1	89
	221	Sarnia	N/A	105
	222	Craik	1	115
	251	Big Arm	5	65
	252	Arm River	1	78
	279 A	Mount Hope	N/A	76
	279 B	Mt Hope	3	56
	280	Wreford	N/A	42
	282	Mccraney	7	42
	309	Prairie Rose	1	71
	312	Morris	N/A	32
	313	Lost River	4	26
	339	Leroy	1	60
	340 A	Wolverine	11	54
	341	Viscount	N/A	15
	343	Blucher	1	21
6B	283	Rosedale	10	76
	284	Rudy	1	54
	285	Fertile Val.	2	58
	286	Milden	N/A	46
	314	Dundurn	N/A	54
	344	Corman Pk.	NIL	8
	346	Perdue	N/A	24
	376 A	Eagle Cr.	N/A	30
	376 B	Eagle Cr.	3	35
	403	Rosthern	N/A	N/A
7A	259	Snipe Lk.	N/A	39
	287	St.Andrews	1	10
	288	Pleasant Val.	8	27
	292	Milton	N/A	8
	317 A	Marriott	5	5
	317 B	Marriott	TR	8
	318 A	Mt. View	NIL	1
	318 B	Mt. View	1	8
	320	Oakdale	7	11
	321	Prairiedale	NIL	12
7B	347 A	Biggar	NIL	41
	347 B	Biggar	N/A	9
	350 A	Manposa	NIL	9
	350 B	Manposa	2	10
	351	Progress	2	27
	352	Heart's Hill	N/A	12
	377	Glenside	5	43
	378 A	Rosemount	TR	12
	378 B	Rosemount	4	35
	379	Reford	TR	10
	380	Tramping Lk.	2	20
	382	Eye Hill	4	41
	409	Buffalo	1	29
	410	Round Val.	10	23
	411	Senlac	N/A	29
8A	395	Porcupine	8	120
	397	Barrier Val.	5	98
	428	Star City	9	60
	456	Arborfield	6	105
	457	Connaught	3	17
	458	Willow Cr.	2	19
	486	Moose Range	3	45
	487	Nipawin	N/A	34
8B	369	St. Peter	3	31
	370	Humboldt	TR	37
	371	Bayne	N/A	3
	372	Grant	TR	29
	373	Aberdeen	N/A	N/A
	400	Three Lks.	N/A	N/A
	402	Fish Cr.	TR	35
	429 A	Flett's Spr.	0	15
	429 B	Flett's Spr.	6	36
	431	St. Louis	N/A	45
	459	Kinistino	6	33
9AE	488	Torch River	4	38
	520	Paddockwood	N/A	21
9AW	406	Mayfield	2	29
	435	Redberry	4	85
	436	Douglas	12	37
	463	Duck Lake	1	44
	464	Leask	8	66
	467	Round Hill	N/A	TR
	493	Shellbrook	25	76
	494	Canwood	10	60
	496	Spiritwood	4	48
	497	Medstead	N/A	47
	555	Big River	N/A	15
9B	438	Battle River	2	27
	440	Hillsdale	N/A	11
	442	Manitou Lake	9	28
	498 A	Parkdale	8	42
	498 B	Parkdale	5	40
	499	Mervin	N/A	34
	501 A	Frenchman Butte	5	34
	501 B	Frenchman Butte	6	29
	501 C	Frenchman Butte	5	18
	502	Britannia	1	32
	561	Loon Lake	2	45
	588 A	Meadow Lake	NIL	27
	588 B	Meadow Lake	NIL	30
	588 C	Meadow Lake	4	45
	588 D	Meadow Lake	1	44
	622	Beaver River	NIL	19

* incomplete

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Weekly Rainfall

for the week ending June 15, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 17, 2009

Weekly Rainfall

for the week ending June 15, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13, Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 17, 2009

Cumulative Rainfall

From: April 1, 2009
To: June 15, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 17, 2009

Cropland Topsoil Moisture Conditions

June 16, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 17, 2009

Cumulative Rainfall

From: April 1, 2009
To: June 15, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 17, 2009

Cropland Topsoil Moisture Conditions

June 16, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 17, 2009

Hay and Pasture Topsoil Moisture Conditions

June 16, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 17, 2009

Hay and Pasture Topsoil Moisture Conditions

June 16, 2009



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2009 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 17, 2009